

1. (Currently amended) An organizer comprising:

a framework having a base and a back wall extending perpendicularly from the base;

a pair of symmetrically arranged doors pivotally coupled to the ~~base~~ back wall wherein each door has a first wall and a second wall perpendicular to the first wall, wherein the doors can be pivoted from a first closed position to a second open position, wherein in the closed position, the first walls are substantially parallel with the back wall and each second wall extends between the back wall and a respective first wall so that the organizer has a box shape and wherein in the second open position, the second walls are substantially parallel with the back wall; and

[[a]] at least one pole including a first end affixed to an interior side of the first wall of one of the pair of doors and a second, free end, the at least one pole extending from [[an]] the interior side of [[a]] the first wall of at least one of the doors to the second, free end.

2. (Currently amended) The organizer according to claim 1 ~~further comprising wherein the at least one pole comprises~~ a plurality of poles ~~extending from an interior side of a first wall of at least one of the doors.~~

3. (original) The organizer according to claim 2 wherein each of the plurality of poles is located at a select height along an interior side of the first wall.

4. (original) The organizer according to claim 1 further comprising a necklace bar comprising a plurality of hooks affixed to the back wall of the organizer.

5. (original) The organizer according to claim 1 further comprising a storage compartment located underneath the pair of doors.

6. (withdrawn) The organizer according to claim 5 wherein the storage compartment houses a drawer.

7. (Currently amended) The organizer according to claim [[5]] 1 further comprising wherein the storage compartment comprises a pair of symmetrically arranged pivoting trays that can be pivoted from a first closed position to a second open position, wherein the trays are located underneath the pair of doors and when the trays are in the first closed position, the organizer has a box shape.

8. (Currently amended) The organizer according to claim 1 wherein ~~the other door~~ another of the pair of doors has a floor extending between the first and second walls and further comprising a groove formed in the floor and a separate first stand having a base which is dimensioned to be slidably received in the groove formed in the floor, the stand has a pair of vertical supports extending upwardly from its base and a cross piece extending between the pair off vertical supports.

9. (original) The organizer according to claim 5 wherein the storage compartment includes dividers to partition the compartment.

10. (original) The organizer according to claim 9 wherein the dividers are removable.

11. (original) The organizer according to claim 9 wherein the dividers are adjustable to customize the interior of the storage compartment.

12. Canceled

13. (withdrawn) The organizer according to claim 6 wherein the drawer has dividers to create compartments.

14. (withdrawn) The organizer according to claim 13 wherein the dividers are removable.

15. (withdrawn) The organizer according to claim 13 wherein the dividers are adjustable to customize the interior of the drawer.

16. (withdrawn) The organizer according to claim 6 further comprising a ring holder located in the drawer.

17. - 19. canceled

20. (Currently amended) The organizer according to claim 7 further comprising a ring holder located in a one of the pair of trays ~~the tray~~.

21. (original) The organizer according to claim 1 wherein at least some portions of internal surfaces of the organizer are lined with anti-tarnish cloth.

22. (original) The organizer according to claim 1 further comprising a pivoting lid located above the pair of doors.

23. (original) The organizer according to claim 22 further comprising a mirror disposed on an inner surface of the lid.

24. (original) The organizer according to claim 1 wherein the pole extends substantially perpendicularly to the first wall.

25. (withdrawn) The organizer according to claim 1 wherein the pole can be pivoted from a first position that is substantially perpendicular to the first wall to a second position that is substantially parallel with the first wall.

26. (Currently amended) The organizer according to claim 1 wherein the ~~pole is located on interior side of the first wall of the one of the pair of doors is formed by~~ an accessory plate that can be slid into place ~~on the interior side of~~ along the first wall ~~of the at least one door~~.

27. (withdrawn) An organizer comprising:

a housing having a compartment defined by a base, a back wall extending perpendicularly from the base and side walls extending perpendicularly from the base and back wall and at least one door coupled to the base wherein when the door is closed it extends between the side walls;

a groove formed on an interior surface of the base of the housing; and

a groove formed in the back wall of the housing.

28. (withdrawn) The organizer according to claim 27 further comprising a separate first stand having a base which is dimensioned to be slidably received in the groove formed in the base of the housing, the stand having a T shaped configuration on which necklaces and bracelets may be hung.

29. (withdrawn) The organizer according to claim 27 further comprising an accessory plate dimensioned to be slidably received in the groove formed in the backwall of the housing, the accessory plate having at least one pole extending perpendicularly from the plate.

30. (withdrawn) The organizer according to claim 27 further comprising a storage compartment located under the housing.

31. (withdrawn) The organizer according to claim 30 wherein the storage compartment houses a drawer.

32. (withdrawn) The organizer according to claim 30 wherein the storage compartment comprises a pair of symmetrically arranged pivoting trays that can be pivoted from a first closed

position to a second open position, wherein when the trays are in the first closed position, the organizer has a box shape.

33. (withdrawn) The organizer according to claim 30 wherein the storage compartment includes dividers to partition the compartment.

34. (withdrawn) The organizer according to claim 33 wherein the dividers are removable.

35. (withdrawn) The organizer according to claim 33 wherein the dividers are adjustable to customize the interior of the storage compartment.

36. (withdrawn) An organizer for jewelry, the organizer comprising:  
a framework having a base and a back wall extending perpendicularly from the base;  
a door pivotally coupled to the base wherein the door has a first wall and a second wall perpendicular to the first wall, wherein the door can be pivoted from a first closed position to a second open position, wherein in the closed position, the first wall is substantially parallel with the back wall and the second wall extends between the back wall and the first wall and wherein in the second open position, the second wall is substantially parallel with the back wall;  
a groove formed in the door; and  
a separate first stand having a base which is dimensioned to be slidably received in the groove, the stand having a T configuration on which necklaces and bracelets may be hung.

37. (withdrawn) The organizer according to claim 36 wherein the door has a floor extending between the first and second walls and wherein the groove is located on an interior surface of the floor of the door.

38. (withdrawn) The organizer according to claim 36 wherein the groove is formed on an interior surface of the first wall of the door.

39. (withdrawn) The organizer according to claim 37 wherein the groove extends along an axis parallel to a surface on which the organizer is placed.

40. (withdrawn) The organizer according to claim 38 wherein the grooves extend along an axis perpendicular to a surface on which the organizer is placed.

41. (withdrawn) The organizer according to claim 36 further comprising a necklace bar comprising a plurality of hooks affixed to the back wall of the organizer.

42. (withdrawn) The organizer according to claim 36 further comprising a storage compartment located underneath the pair of doors.

43. (withdrawn) The organizer according to claim 42 wherein the storage compartment houses a drawer.

44. (withdrawn) The organizer according to claim 42 wherein the storage compartment comprises a pair of symmetrically arranged pivoting trays that can be pivoted from a first closed position to a second open position, wherein when the trays are in the first closed position, the organizer has a box shape.

45. (withdrawn) The organizer according to claim 36 wherein the other door has a floor extending between the first and second walls and further comprising a groove formed in the floor and a separate first stand having a base which is dimensioned to be slidably received in the groove formed in the floor, the stand has a pair of vertical supports extending upwardly from its base and a cross piece extending between the pair off vertical supports.

46. (withdrawn) The organizer according to claim 43 wherein the storage compartment includes dividers to partition the compartment.

47. (withdrawn)      The organizer according to claim 46 wherein the dividers are removable.
48. (withdrawn)      The organizer according to claim 46 wherein the dividers are adjustable to customize the interior of the storage compartment.
49. (withdrawn)      The organizer according to claim 43 further comprising a ring holder locate in the storage compartment.
50. (withdrawn)      The organizer according to claim 44 wherein the drawer has dividers to create compartments.
51. (withdrawn)      The organizer according to claim 50 wherein the dividers are removable.
52. (withdrawn)      The organizer according to claim 50 wherein the dividers are adjustable to customize the interior of the drawer.
53. (withdrawn)      The organizer according to claim 44 further comprising a ring holder locate in the drawer.
54. (withdrawn)      The organizer according to claim 44 wherein at least one of the trays has dividers to create compartments.
55. (withdrawn)      The organizer according to claim 54 wherein the dividers are removable.
56. (withdrawn)      The organizer according to claim 54 wherein the dividers are adjustable to customize the interior of the tray.
57. (withdrawn)      The organizer according to claim 44 further comprising a ring holder locate in the tray.

58. (withdrawn) The organizer according to claim 36 wherein at least some portions of internal surfaces of the organizer are lined with anti-tarnish cloth.

59. (withdrawn) The organizer according to claim 36 further comprising a pivoting lid located above the pair of doors.

60. (withdrawn) The organizer according to claim 59 further comprising a mirror disposed on an inner surface of the lid.

61. canceled

62. (Currently amended) The organizer according to claim 68 wherein ~~61 further comprising the at least one pole comprises~~ a plurality of poles ~~extending from an interior side of at least one of the doors.~~

63. (original) The organizer according to claim 62 wherein each of the plurality of poles is located at a select height.

64. (Currently amended) The organizer according to claim ~~[[61]]~~ 68 further comprising a necklace bar comprising a plurality of hooks affixed to the back wall of the organizer.

65. (Currently amended) The organizer according to claim ~~[[61]]~~ 68 further comprising a storage compartment located underneath the pair of doors.

66. (withdrawn) The organizer according to claim 65 wherein the storage compartment houses a drawer.



67. (Currently amended) The organizer according to claim [[65]] 68 further comprising wherein the storage compartment comprises a pair of symmetrically arranged pivoting trays that can be pivoted from a first closed position to a second open position.

68. (Currently amended) ~~The~~ An organizer ~~according to claim 61~~ comprising:

a framework having a base and a back wall extending from the base;

a pair of symmetrically arranged doors pivotally coupled to the back wall, wherein the doors can be pivoted from a first closed position to a second open position; and

at least one pole extending from an interior side of one of the pair of doors;

wherein the other door another of the pair of doors has a floor and a groove formed in the floor and a separate first stand having a base which is dimensioned to be slidably received in the groove formed in the floor, the stand has a pair of vertical supports extending upwardly from its base and a cross piece extending between the pair off vertical supports.

69. (original) The organizer according to claim 65 wherein the storage compartment includes dividers to partition the compartment.

70. (original) The organizer according to claim 69 wherein the dividers are removable.

71. (original) The organizer according to claim 69 wherein the dividers are adjustable to customize the interior of the storage compartment.

72. Canceled

73. (withdrawn) The organizer according to claim 66 wherein the drawer has dividers to create compartments.

74. (withdrawn) The organizer according to claim 73 wherein the dividers are removable.

75. (withdrawn) The organizer according to claim 73 wherein the dividers are adjustable to customize the interior of the drawer.

76. (withdrawn) The organizer according to claim 66 further comprising a ring holder locate in the drawer.

77.-79. canceled

80. (Currently amended) The organizer according to claim 67 further comprising a ring holder located in a one of the pair of trays ~~the tray~~.

81. (Currently amended) The organizer according to claim ~~[[61]]~~ 68 wherein at least some portions of internal surfaces of the organizer are lined with anti-tarnish cloth.

82. (Currently amended) The organizer according to claim ~~[[61]]~~ 68 further comprising a pivoting lid located above the pair of doors.

83. (original) The organizer according to claim 82 further comprising a mirror disposed on an inner surface of the lid.

84. (withdrawn) An organizer comprising:  
a housing having at least one door;  
a groove formed on an interior surface of a base of the housing; and  
a groove formed in a back wall of the housing.

85. (withdrawn) The organizer according to claim 84 further comprising a separate first stand having a base which is dimensioned to be slidably received in the groove formed in the base of the housing, the stand having a T shaped configuration on which necklaces and bracelets may be hung.

86. (withdrawn) The organizer according to claim 84 further comprising an accessory plate dimensioned to be slidably received in the groove formed in the backwall of the housing, the accessory plate having at least one pole extending perpendicularly from the plate.

87. (withdrawn) The organizer according to claim 84 further comprising a storage compartment located under the housing.

88. (withdrawn) The organizer according to claim 87 wherein the storage compartment houses a drawer.

89. (withdrawn) The organizer according to claim 87 wherein the storage compartment comprises a pair of symmetrically arranged pivoting trays that can be pivoted from a first closed position to a second open position.

90. (withdrawn) The organizer according to claim 87 wherein the storage compartment includes dividers to partition the compartment.

91. (withdrawn) The organizer according to claim 90 wherein the dividers are removable.

92. (withdrawn) The organizer according to claim 90 wherein the dividers are adjustable to customize the interior of the storage compartment.

93. (withdrawn) An organizer for jewelry, the organizer comprising:  
a framework having a base and a back wall extending from the base;  
a door pivotally coupled to the base wherein the door can be pivoted from a first closed position to a second open position;  
a groove formed in the door; and

a separate first stand having a base which is dimensioned to be slidably received in the groove, the stand having a T configuration on which necklaces and bracelets may be hung.

94. (withdrawn) The organizer according to claim 93 wherein the door has a floor and the groove is located on an interior surface of the floor of the door.

95. (withdrawn) The organizer according to claim 93 wherein the groove is formed on an interior surface of the door.

96. (withdrawn) The organizer according to claim 94 wherein the groove extends along an axis parallel to a surface on which the organizer is placed.

97. (withdrawn) The organizer according to claim 95 wherein the grooves extend along an axis perpendicular to a surface on which the organizer is placed.

98. (withdrawn) The organizer according to claim 93 further comprising a necklace bar comprising a plurality of hooks affixed to the back wall of the organizer.

99. (withdrawn) The organizer according to claim 93 further comprising a storage compartment located underneath the pair of doors.

100. (withdrawn) The organizer according to claim 99 wherein the storage compartment houses a drawer.

101. (withdrawn) The organizer according to claim 99 wherein the storage compartment comprises a pair of symmetrically arranged pivoting trays that can be pivoted from a first closed position to a second open position.

102. (withdrawn) The organizer according to claim 93 wherein the other door has a floor extending between the first and second walls and further comprising a groove formed in the floor and a separate first stand having a base which is dimensioned to be slidably received in the groove formed in the floor, the stand has a pair of vertical supports extending upwardly from its base and a cross piece extending between the pair off vertical supports.

103. (withdrawn) The organizer according to claim 100 wherein the storage compartment includes dividers to partition the compartment.

104. (withdrawn) The organizer according to claim 103 wherein the dividers are removable.

105. (withdrawn) The organizer according to claim 103 wherein the dividers are adjustable to customize the interior of the storage compartment.

106. (withdrawn) The organizer according to claim 100 further comprising a ring holder locate in the storage compartment.

107. (withdrawn) The organizer according to claim 101 wherein the drawer has dividers to create compartments.

108. (withdrawn) The organizer according to claim 107 wherein the dividers are removable.

109. (withdrawn) The organizer according to claim 107 wherein the dividers are adjustable to customize the interior of the drawer.

110. (withdrawn) The organizer according to claim 101 further comprising a ring holder locate in the drawer.

111. (withdrawn) The organizer according to claim 101 wherein at least one of the trays has dividers to create compartments.

112. (withdrawn) The organizer according to claim 111 wherein the dividers are removable.

113. (withdrawn) The organizer according to claim 111 wherein the dividers are adjustable to customize the interior of the tray.

114. (withdrawn) The organizer according to claim 101 further comprising a ring holder locate in the tray.

115. (withdrawn) The organizer according to claim 93 wherein at least some portions of internal surfaces of the organizer are lined with anti-tarnish cloth.

116. (withdrawn) The organizer according to claim 93 further comprising a pivoting lid located above the pair of doors.

117. (withdrawn) The organizer according to claim 116 further comprising a mirror disposed on an inner surface of the lid.

118. (Currently amended) The organizer of claim 1, wherein the ~~pole is attached to the interior side of the first wall of the one of the pair of doors is formed by~~ a plate removably mounted to ~~the interior side of the first wall of the at least one door.~~

119. (withdrawn) The organizer of claim 1, wherein the pole is positionable along a height of the interior side of the first wall of the at least one door.

120. (Currently amended) The organizer of claim [[61]] 68, wherein the at least one pole is attached to a plate removably mounted to the interior side of the at least one door.

121. (withdrawn) The organizer of claim 120, wherein the plate includes a track for slideably engaging the pole.

122. (withdrawn) The organizer of claim 121, wherein:  
the track includes a plurality of alcoves disposed along opposing sides of the track; and  
the pole includes a pair of detent mechanisms for engaging opposing alcoves of the track.

123. (withdrawn) The organizer of claim 61, wherein the pole is positionable along a height of the interior side of the at least one door.

124. (New) The organizer of claim 1, wherein the at least one pole extends over a length approximately spanning a depth of the second wall of the one of the pair of doors, the depth defined from an intersection of the first wall of the one of the pair of doors with the second wall of the one of the pair of doors to the pivotal coupling of the one of the pair of doors with the back wall.

125. (New) The organizer of claim 2, wherein none of the plurality of poles are horizontally aligned with another and no other poles extend from the interior side of the first wall of the one of the pair of doors.

126. (New) The organizer of claim 125, wherein none of the plurality of poles are vertically aligned with another.